



LP

1

Liquid Prompt

Yes, we can
drastically rethink
the design of
a shell prompt

—
nojhan

—
FOSDEM

2024-02-03





Prompts



LP

3

Shell Prompts

- ▶ Everyday's Command Line Interface
- ▶ Defaults (at most) to: `[nojhan@fosdem:~]$`
- ▶ Purpose:
 - ▶ Indicate where you are (ex. dir)
 - ▶ Warn when problems are coming (ex. space)
 - ▶ Follow state of work (ex. git)



LP

4

Where is my mind?

```
NUC-354090% sudo tail -n 10 /var/log/syslog
2024-01-29T21:30:05.921748+01:00 NUC-354090 systemd[3098]: Stopped tracker-miner-fs-3.service - Tracker
file system data miner.
2024-01-29T21:30:05.921939+01:00 NUC-354090 systemd[3098]: tracker-miner-fs-3.service: Consumed 1min 9.6
04s CPU time.
2024-01-29T21:30:05.948296+01:00 NUC-354090 systemd[3098]: Starting tracker-miner-fs-3.service - Tracker
file system data miner...
2024-01-29T21:30:14.828288+01:00 NUC-354090 tracker-extract[2632843]: Could not connect to filesystem mi
ner endpoint: Timeout was reached
2024-01-29T21:30:14.835177+01:00 NUC-354090 systemd[3098]: tracker-extract-3.service: Main process exited, code=exited, status=1/FAILURE
2024-01-29T21:30:14.835446+01:00 NUC-354090 systemd[3098]: tracker-extract-3.service: Failed with result 'exit-code'.
2024-01-29T21:30:14.835637+01:00 NUC-354090 systemd[3098]: Failed to start tracker-extract-3.service - Tracker metadata extractor.
2024-01-29T21:30:15.171227+01:00 NUC-354090 systemd[3098]: tracker-extract-3.service: Scheduled restart job, restart counter is at 1487.
2024-01-29T21:30:15.171422+01:00 NUC-354090 systemd[3098]: Stopped tracker-extract-3.service - Tracker metadata extractor.
2024-01-29T21:30:15.211839+01:00 NUC-354090 systemd[3098]: Starting tracker-extract-3.service - Tracker metadata extractor...
NUC-354090% tail -n 10 /var/log/messages
tail: impossible d'ouvrir '/var/log/messages' en lecture: Aucun fichier ou dossier de ce type
NUC-354090% ifconfig
eno1: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
    ether 54:b2:03:18:a8:fd txqueuelen 1000 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
    device interrupt 16 memory 0xdc200000-dc220000
```



LP

5

7 Prompts

Feature	Liquidprompt	Starship	Spaceship	Oh-My-Posh	Powerlevel10k	Powerline	Pure
Language	Shell	Rust	Zsh	Go	Zsh	Python	Zsh
License	AGPLv3	ISC	MIT	MIT	MIT	MIT	MIT
Github stars (k)	4.2	28	17.2	7.4	30.4	13.4	11.5



LP

6

Features

Prompt	Essentials	Version control	Environments	Toolsets	Misc	Services
Liquid Prompt	★ ★ ★	★ ★ ★	★ ★ ★	★	★ ★	—
*ship	★ ★	★ ★	★ ★ ★	★ ★ ★	★	—
PowerLevel10k	★ ★	★	★ ★ ★	★ ★	★ ★	★
Oh-My-Posh	★	★ ★	★	★ ★	★	★ ★
Powerline	★	★	★	—	★ ★	★ ★ ★
Pure	★	★	—	—	—	—

<https://github.com/liquidprompt/liquidprompt/wiki/Why>



LP

7

Design axes

<https://github.com/liquidprompt/liquidprompt/wiki/Why>

- ▶ **focused:** targets states that are actually useful to the user during a work session,
- ▶ **seamless:** does not product friction with the user workflow,
- ▶ **scoped:** targets states that can change,
- ▶ **measured:** embraces the fact that some states change less often than others,
- ▶ **accentuated:** makes more visible the feedback for more important state changes,
- ▶ **configurable.**

Design

Prompt	Focused	Seamless	Scoped	Measured	Accentuated	Configurable
Liquid Prompt	☀-☀-☀	★★	★★	☀-☀-☀	☀-☀-☀	☀-☀-☀
PowerLevel10k	★★	☀-☀-☀	★★	★★	★★	★★
Oh-My-Posh	★★	★★	★★	★★	★	★★
Pure	★★	★★	★★	★★	★	★★
*ship	★	★★	★	★	★	★★
Powerline	★	★★	★	★	★	★



LP

9

Example – Oh-My-Posh

```

< runner on Thursday at 4:43 PM 🔄 📄 main ≡ 📄 ~1 0s 📊 MEM: 18.37% (6/7GB)
> { 📁 home ↔ work ↔ oh-my-posh ↔ oh-my-posh ↔ website } 🦋 _

```

```

runner → website → (🔄 main) → 📄 17.6.0 → ❤️ 16:43 → _

```

```

runner@fv-az713-588 🏠 > 📁 > 📁 > 📁 > website 📄 main _

```

```

runner@fv-az713-588 ~ > ... > oh-my-posh > oh-my-posh > website 📄 main ≡ +0 ~2 -0 _

```

```

runner@fv-az713-588 ~/work/oh-my-posh/oh-my-posh/website 📄 main _

```

```

🔍 runner on 📁 ~/work/oh-my-posh/oh-my-posh/website 🔄 📄 main
#

```

```

>_ shell → 📁 → website → 🔄 📄 main ≡ 📄 ~2 → 📊 0ms → 📄 17.6.0 → 🚢 kind-posh → ⚙️ 📅 9,16:43

```

```

~/work/oh-my-posh/oh-my-posh/website 📄 main

```

```

🔍 🏠 ... website → 📄 main 📄 ~2 → 0s → runner / fv-az713-588 → 16:43:31

```



LP

10

Much Information!

SOLID PROMPT

2.2.0 vs [2.2.0]

VCS:[git] remt:[]

diff:[+10/-5] hdst:[]

pyev:[pyenv]

[load:[42]

comit:[+3/-1] bkmk:[]

node:[//////////]

| ram:[31%]

stash:[1] vers:[]

ruby:[//////////]

snsr{ batt:[↓24%]

utrak:[1] brch:[main]

kube:[//////////]

| disk:[/////]

X11:○ su:○ sudo:/ proxy:/ chroot:○

trfm:[//////////]

[temp:[90°]

cont:[//////////]

awsp:[//////////]

[suspnd:[1]

shlvl:[2] ptag:[]

scsls:[//////////]

jobs{ bkgrd:[2]

RSH:● user:[user]

shel:[bash]

[dtchd:[3]

mux:○ host:[server]

R0:●

rntm:[20s]

drstk:[3] path:[~/code/liquidprompt/docs/theme





LP

11

We Can Do Better

- ▶ **Important information first**
- ▶ **Help visual parsing**
- ▶ *Avoid list of segments*
- ▶ **Be colorblind-friendly**
- ▶ *Avoid psychedelic rainbows*
- ▶ **Avoid text overload**
- ▶ **Use logical sequences**
- ▶ **Semantic thresholds**

- ▶ <https://github.com/nojhan/lp-dotmatrix>

LP 13 LiquidPrompt / DotMatrix

Short prompt:

```
X user ~
```

Medium prompt:

```
T user server~ / liquidprompt
```

Long prompt:

```
T user server ~ / code liquidprompt docs theme 3
```

```
pyenv
```

```
±/1 3 main +10/-5 +/? 20s 125
```

Important information first

- ▶ Prioritize based on location on screen
 - ▶ more stability, thus easier to spot changes
- ▶ 2 colors for important states changes

Who? Where? Sensors

X nojhan ~ code colout << 780 1z

Stable config

Remote Local Important

⌘ master +90/-1 +/? 130 > □



LP

15

Help visual parsing

- ▶ Consistent segments
- ▶ Section Line

```
nojhan ~
└─> sudo tail -n 10 /var/log/syslog
[sudo] Mot de passe de nojhan :
2024-01-29T22:09:20.421370+01:00 NUC-354090 systemd[3098]: tracker-extract-3.service: Scheduled restart job, restart counter is at 1565.
2024-01-29T22:09:20.421464+01:00 NUC-354090 systemd[3098]: Stopped tracker-extract-3.service - Tracker metadata extractor.
2024-01-29T22:09:20.451868+01:00 NUC-354090 systemd[3098]: Starting tracker-extract-3.service - Tracker metadata extractor...
2024-01-29T22:09:50.659767+01:00 NUC-354090 tracker-extract[2780283]: Could not connect to filesystem miner endpoint: Timeout was reached
2024-01-29T22:09:50.664984+01:00 NUC-354090 systemd[3098]: tracker-extract-3.service: Main process exited, code=exited, status=1/FAILURE
2024-01-29T22:09:50.665317+01:00 NUC-354090 systemd[3098]: tracker-extract-3.service: Failed with result 'exit-code'.
2024-01-29T22:09:50.665851+01:00 NUC-354090 systemd[3098]: Failed to start tracker-extract-3.service - Tracker metadata extractor.
2024-01-29T22:09:50.921232+01:00 NUC-354090 systemd[3098]: tracker-extract-3.service: Scheduled restart job, restart counter is at 1566.
2024-01-29T22:09:50.921441+01:00 NUC-354090 systemd[3098]: Stopped tracker-extract-3.service - Tracker metadata extractor.
2024-01-29T22:09:50.947912+01:00 NUC-354090 systemd[3098]: Starting tracker-extract-3.service - Tracker metadata extractor...

nojhan ~
└─> tail -n 10 /var/log/messages
tail: impossible d'ouvrir '/var/log/messages' en lecture: Aucun fichier ou dossier de ce type

nojhan ~
└─> ifconfig
enol: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
    ether 54:b2:03:18:a8:fd txqueuelen 1000 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
    device interrupt 16 memory 0xdc200000-dc220000
```



LP

16

colorblind-friendly

X nojhan ~ / code / colout >> 780 1z

· ↳ master < +90/-1 +/? * 130 > □

X nojhan ~ / code / colout >> 770 1z

· ↳ master < +90/-1 +/? * 130 > ▬

X nojhan ~ / code / colout >> 860 1z

· ↳ master < +90/-1 +/? * 130 > ▬



LP

18

Avoid text overload

- ▶ Use negative spaces

```
T << [user] appart ~ << 22:23:20
. >> >
déconnexion
Connection to [redacted] closed.

X [user] nojhan [server] ~ >> 830

. >> > |

X [root] [server] / / home / nojhan / tmp >> 700
. >> > >
exit

X [user] nojhan [server] ~ / tmp >> 810

. >> > |
```



LP

19

Use logical sequences

- ▶ GIT:
 - ▶ from right (local repo)
 - ▶ to left (remote repo)

```
X  👤  🏠  ~ / code / dotfiles
< base >
·  ±/📌 7  master  +68/-189  ?  > git st
```

```
X  👤  🏠  ~ / code / dotfiles
< base >
·  ±/📌 7  1  master  +36/-182  ?  > |
```

```
X  👤  🏠  ~ / code / dotfiles
< base >
·  ±/📌 7  2  master  +1/-173  ?  > |
```

```
X  👤  🏠  ~ / code / dotfiles
< base >
·  ±/📌 7  2  master  +/?  >
```



LP

20

Semantic thresholds

- ▶ Normal
- ▶ Note
- ▶ Warning

X nojhan ~ code lp-gitcrux 760

± main +278/-1 > kak README.md

X nojhan ~ code lp-gitcrux 830

± main +345/-1 > █

X nojhan ~ code lp-gitcrux 850

±/± 4 main +0/-112 > git commit -a
 suggestion : en attente de la fermeture du fichier par votre édite
 [main 5964131] test
 1 file changed, 112 deletions(-)

X nojhan ~ code lp-gitcrux 870

±/± 5 main > █



LP 21



DotMatrix

<https://github.com/nojhan/lp-dotmatrix>

@nojhan@mamot.fr

More thoughts about the design of Liquid Prompt:

<https://github.com/liquidprompt/wiki/Why#design>





LP

22



LP

23

More Git

```
X [user] [code] [dotfiles]
- [base]
· [7] [2] master [t/?] > git pull
Auto-merging .bashrc
CONFLICT (content): Merge conflict in .bashrc
Auto-merging kak/kakrc
CONFLICT (content): Merge conflict in kak/kakrc
Automatic merge failed; fix conflicts and then commit the result.
```

```
X [user] [code] [dotfiles]
- [base]
· [7] [2] master [+102/-6] [t/?] MERGING [error] > kak .
bashrc kak/kakrc
```

```
X [user] [code] [dotfiles]
- [base]
· [7] [2] master [+55/-11] [t/?] MERGING > git add .bashrc
kak/kakrc
```

```
X [user] [code] [dotfiles]
- [base]
· [7] [2] master [±0] [t/?] MERGING > git commit
[master 1b07797] Merge branch 'master' of github.com:nojhan/dotfiles
```

```
X [user] [code] [dotfiles]
- [base]
· [7] [3] master [±0] [t/?] > |
```

```
X [user] [code] [dotfiles]
- [base]
· [7] master [t/?] > |
```

▶ One liner

```
X ~ code lp-dotmatrix · ± main +9/-11 ? pytry b 21:19:46  
interrupted >
```




LP

25

Themes – Liquid Prompt

```

~24% Δ1.68 θ90° 3d/2&/1z [user@server:~/code/liquidprompt/docs/theme 3] L2 <pyenv> main(+10/-5,+3/-1)+* 20s 125 ±
[user@server:~/code/liquidprompt/docs/theme 3] L2 main(+10/-5,+3/-1)+* <pyenv> 3d/2&/1z ~24% Δ1.68 θ90°
20s 125 ±

```

```

T << user server ~ code liquidprompt docs theme 3 >>>
< pyenv
±/1 3 main +10/-5 +/? 20s 125 >>>

```

```

3d-2&-1z ~24% Δ1.68 θ90° [pyenv]
user@server:~/code/liquidprompt/docs/theme 3 main(+10/-5,+3/-1)+*
20s-125-±>>

```



```

T gaming ~ code liquidprompt ... powerline
SCRSHT theme+powerpuff+* 8s 148

```

2.2.0 vs [2.2.0]	VCS:[git] remt:[]	SOLID
[load:[42]	diff:[+10/-5] hdst:[]	pyev:[pye
[ram:[31%]	comit:[+3/-1] bkmk:[]	node:[///
snr{batt:[+24%]	stash:[1] vers:[]	ruby:[///
[disk:[/////]	utrak:[1] brch:[main]	kube:[///
[temp:[90°]	X11: su: sudo:/ proxy:/ chroot:○	trfm:[///
[suspnd:[1]	shlvl:[2] ptag:[]	cont:[///
jobs{bkgrd:[2]	RSH:● user:[user]	awsps:[///
[dtchd:[3]	mux:○ host:[server]	scls:[///
		shel:[bas
		rntm:[20s
drstk:[3]	path:[~/code/liquidprompt/docs/theme	