

Qt Creator for desktop developers


Why you should not waste time coding in a text editor

1																																																				
											C	U	U	U	U	Q	U	0	0																			I.					0			J		U	U	0		
																					1	1	1	1	1	I	I												0					0			C					
	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 1		DI			0 0	16	C	Ľ	D	0	٥		0	0	0	1	0	0	0		0	0	0	0	C	0	0	0	0		0
		2	ę	5	6 1	1	8	9	10	1	12	1	1	12	15		8		1	4	22		12	ł		12	2	1	31	2	33	34	35	35	37 .			1	12	43	44	45	46	4	1	15	5	21	53	яз 1	1	56
		h	å	ł	l		l		ł		H	ł	ł	H	ł			l	1	d		ŝ	ŝ	ŝ		å	ŝ				ł	ł	l		ł		å	1	ł						d	ŝ						ł
	2 :	2 2	C	2	2	2	2	2	2	2	2	٥	2	2	2	2	2	2	2	2		2 :	2 :	2 1	2 :	2 2	2	ſ	2	2	2	2	2	2	2	2 ;	2 2	2	2	2	2	2	2	2	2 1	2 2	2		2	2	2	0
				P	2	2	2	-	2	2	2	2	P	2	2	2	2	2	2	2	2	ę	-	2					P	2	2	2	2	2	2	ą	ę	ę		2	2	2	2	2				2	2		2	
	3.	5.	5 3	ч	3	3	3	3	3	3	3	3	y	3	3	3	3	3	3	3	3	ł	3.	3.	3.	3.		2	L	3	3	3	3	3	3	d	ė	å	3	3	3	3	3	3	3.		3	3	5	3	3	3
	4 4	1	14	4		4	4	4	4	4	-	4	4	0	4	4	4	4	4	4	4	4	1	4	4	4 4	14	4	4		4	4	4	4	4	4	4 4	K	4		0	1	0	4	4 1	1	4	4	4	4	4	4
	5 !	5 5	5	5	5	l	5	5	5	5	5	5	5	5		5	5	5	5	5	5 !	5 !	5	1	5 1	5 5	1	5	5	5		5	5	5	5	5 !	5 5	5	5	5	5	5	5	5	5 1	1	Ľ	5	5	5	5	5
	6 1	6 6	6 6	6	6	6		6	6	6	6	6	6	6	6		6	6	6	6	6	6 1	6 1	6	1	6 6	6	6	6	6	6		6	6	6	6 1	6 6	6	6	6	6	6	6	6	6	6	6	6	6	6		6
	7	11	11	7	7	7	7	0	7	1	1	7	7	7	7	7	0	7	7	7	7	7	1	7	7	1		17	7	7	7	7		7	7	7	11	17	1	7	7	7	1	7	1	1	1	7		1	1	7
	8 1	8 8	8 8	8	8	8	8	8	1	8	8	8	8	8	8	8	8	0	8	8	8	8	8	8	8	8	1	8 8	8	8	8	8	8		8	1	I	I	8	0	0	0	0	8	8.	I	L			8		0
	9 :	9 9	9 9	9 5	9 6	97	9	9 9	9 10		9 12	9 13	914	95	9 16	9 11	9	9	0	9	9	9:	9	9	9	9 9		93	9	9 %	9 33	934	9 3	9 35	31	9	99	9 9	9 42	9 43	9 4	9 45	9 46	9	9 1	9 5	95	9	9	9	9	9 56



Line Editor

ed, ex, qed





Line Editor

Text Editor

ed, ex, qed

vi/vim, emacs

			#!					s : vim - Konsole <
vi	is	а	text	editor	from	the	late	1970s.
	INS	SFE	ат					



Line Editor


Text Editor

GUI based Text Editors

ed, ex, qed

vi/vim, emacs

gedit, kate





Line Editor	ed, ex, qed
Text Editor	vi/vim, emacs
GUI based Text Editors	gedit, kate
Integrated Development Environment	geany, anjuta

	Search View Document Project Build To \bigcirc \bigcirc \checkmark \checkmark	ols <u>H</u> el
< Symbol		
No tags for		ted.
<u></u>		
~	17:02:02: File /home/code/src/ed-1.9/Make	
Status	17:02:06: File /home/code/src/ed-1.9/Maket	ile.in cl
	17:02:09: New file "untitled" opened.	
Compiler	17:02:11: File untitled closed.	
~	17:02:35: Project "test" created.	
line: 1 / 1	col: 28 sel: 0 INS TAB MOD) m



L

Line Editor	ed, ex, qed
Text Editor	vi/vim, emacs
GUI based Text Editors	gedit, kate
Integrated Development Environment	geany, anjuta
IDE with code model	Eclipse, KDevelop, Qt

			2020 - C				nfiguration.h [master] - qtcreator - (
<u>File</u>	it <u>B</u> uild				· · · · · · · · · · · · · · · · · · ·		
	Projects				🤹 🔶 🖬	bι	ildconfiguration.h
0t			os_depen	den 📩			namespace Util:
Welcome		<u>त</u> mercu					
(=-)			urial_dep	end	41	•	namespace Proj
Edit		🖬 perfo					
Eure			rce_depe				class BuildCon
×.	•		texplore: jectexplo				class BuildInfo
Design			eplugin_c				class NamedWid
Ç.			tomwizar				class BuildSte
Debug			jectexplo				class Kit;
		• Ind gtci	•				class Target;
Projects			reatorplu	gin			class IOutputPa
		🕨 💼 text	editor_de	eper			ctubb routputte
Analyze		🕶 📑 Hea			51	-	class PROJECTE
			evicesup	port	52		{
2		h a		.			1.5
Help			biwidget.				••••• <u>Q_OBJECT</u>
			bstractm				1.7.1
	4		hstractor	•			public:
	Open Do			B+ ×			····//·ctors a
qtcreator	buildcon	figuratio	n.h				····virtual·~B
The second second							
×,							····Utils::File
Debug							····Utils::File
							····virtual Pro
							····virtual QL
~					64		
	■ P- c	buildc	E	3 1	ssues 2	S	earc 3 Appli 4 Co
		. and c					CO CO



Creator

Demo Time

- * Syntax highlighting
- * Navigation
- * Refactoring
- ... all taking advantage of the code model!



Thank you!

http://qt-project.org/

