

Open-Source and DevOps for WindPower

FOSDEM conference 2024, Brussels




Marco Berta, Data Scientist in ZF Wind Power Digital team

Marco.berta@zf.com

Energy transition example: Marseille < 6h ₩ 5 u 41 min Frankrijk Marseille Marseille (central bus station St Charles) Source: Google maps Floating Turbine Source: openstreetmaps




Wind: leading renewable energy in EU



Wind power more important than solar here in EU, stats from open data. Source: Global stats visualization & local forecast | Kaggle



But.. When something goes wrong?



Thrive for continuous availability





Intervention is a major issue, having the spare parts at the right time saves money!!!

Example from the field



FOSDEM conference 2024, Brussels © ZF Friedrichshafen AG

Monitoring and predicting



WHAT?


- Failure classification based on gearbox and bearing expertise
- Repair solution

WHERE?

- Spare parts location
- Turbine location

WHEN?

- Reaction horizon
- Spare parts availability
- · Technician availability



Weibull model to predict failures occurring / spares order

$$F(x) = \left\{egin{array}{ll} 0 & ext{for } x < 0, \ 1 - e^{-(x/eta)^a}, & ext{for } x \geq 0. \end{array}
ight.$$


Model verified on test data, Eventual outliers discussed with domain experts





FOSDEM conference 2024, Brussels

Fast return to operation



FOSDEM conference 2024, Brussels

The evolution of maintenance




Data analysis with open-source software allows more and more sophisticated maintenance




ZF Wind Power Digitalization tech stack







Desired Outcome from data analysis




- Reduced downtime
 by having the right parts at the right time
- Reduced costs

 by optimizing the stock levels
- Reduce unplanned maintenance with proactive planning
- Avoid consequential damage by addressing reoccurring failure modes

FOSDEM conference 2024, Brussels © ZF Friedrichshafen AG

Realized improvements in pilot study



Alert processing effort

150% 160% Unplanned field inspections

Lead time to repair

185% 10,4% AEP at park level

FOSDEM conference 2024, Brussels

Conclusions

- Fragmented value chain conversely affects wind energy efficiency
- Data insights and prompt communication has a big positive impact:
 - Reduced alert processing effort
 - Prescriptive maintenance
 - Lead time to repair decreased
 - Increased overall efficiency

- Good results could be achieved using open-source software running either on premises or in the cloud
- DevOps practices allowed the pilot project success



FOSDEM conference 2024, Brussels © ZF Friedrichshafen AG





Marco Berta, Data Scientist in ZF Wind Power Digital team
Marco.berta@zf.com

13

Spare parts optimization



External Service Intervention Data



FOSDEM conference 2024, Brussels © ZF Friedrichshafen AG