I want my own cellular network!

Having fun with LTE networks and Open5Gs





~\$ whoami

Alessandro Arcieri

() @m4w0lf


Mobile Core and IP Network Engineer @ TIM Italy


Linux&Networking Enthusiast by the age of 15 y.o.

Index


- 1. LTE Network High Level Overview
- 2. LTE Network Deep Dive
- 3. CS vs PS Network comparision
- 4. Attach Procedure
- 5. CUPS Paradigm
- 6. OSS LTE network implementations
- 7. Open5GS
- 8. Hardware requirements
- 9. Dockerized blueprint
- 10. DEMO
- 11. Further readings

LTE Network – High Level Overview







MME: Mobility Management Element




HSS: Home Subscriber server




DNS: Domain Name Server




SGW: Serving Gateway



PGW: Packet Gateway



PCRF: Policy and Charging Rules Function



CS vs PS networks

Circuit Switched Core (2G/3G)

User is «connected» to the network when is able to make voice calls

SS7 and legacy signaling protocols Payload on TDM links

Very specialized and customized HW/SW solutions (often vendor-specific) Packet Switched Core (4G EPC)

User is «connected» to the network when is able to exchange IP packets


All-IP network for signaling and user plane

COTS HW and SW (many commercial solutions are based on Linux and x86)


User needs to authenticate to the Network Network is always «trusted»

User and Network mutually authenticate each other

Attach procedure



CUPS paradigm



Now, what about my network?

There are many OSS projects that focuses on implementing 2-3-4-5G Core Network and RAN functions

- Open5GS
- NextEPC
- srsRAN & srsEPC
- Osmocom

Open5GS is a C-language Open Source implementation of 5GC and EPC, i.e. the core network of NR/LTE network.

Open5G5

Features

Release-17 compliant

AES, Snow3G, ZUC algorithms for encryption

Support of USIM cards using Milenage

IPv6 support

Multiple PDU session

Handover(5GC Xn/N2 and EPC S1/X2)


CSFB(Circuit Switched Fall Back) and SMSoS(SMS Over SGs)

Support ePDG Interface(SWx, S6b, S2b)

VoLTE(Voice over LTE) with HSS-Cx interface

VoNR(Voice over NR)

5G Roaming



Demo Time???



FOSDEM^{'24}

Hardware requirements

- Some form of computing HW (bare metal, vm, container)
- Basic knowledge of core network components and protocols
- One or more SDR for RAN
- RF shielded box or connectorized UE

In almost all countries a specific authorization is required in order to transmit in air on LTE frequencies!


- RF spectrum analyzer (it will make your life easier)
- Programmable SIM card + programming software

(sysmocom or random «whitelabel» cards can be found on amazon/aliexpress)

• Patience and time – trial and error is a common paradigm also in commercial networks

Dockerized blueprint

https://github.com/m4w0lf/MyOwnLTE/tree/FOSDEM-demo/open5gs/deployment



FOSDEM'24

19

What's the point?

Historically speaking TELCO network are considered like black magic: just few people know how they work in detail.

It's a very complex and large eco-system and our lives have been deeply changed by this tecnology

Thank you!

+

0

Further resources

- 3GPP and ETSI documentation <u>https://www.3gpp.org</u>
- Open5GS official site <u>https://open5gs.org</u>
- srsRAN-4G project https://docs.srsran.com/projects/4g/en/latest/
- Osmocom project https://osmocom.org/projects/cellular-infrastructure
- @nickvsnetworking's blog <u>https://nickvsnetworking.com</u>
- Phil Greenland's blog https://www.quantulum.co.uk/blog/tag/srsran/





22